


LET'S INTEGRATE! WORKING WITH THE MEDICAL TEAM TO ENHANCE INTEGRATED CARE:

Being a Behavioral Scientist

Arissa Walberg, PhD



OUTLINE

- History and rationale of the Behavioral Scientist within family medicine residencies
- Current guidelines for psychosocial/behavioral medicine
- Example curriculum
- Application



POLL

HOW MANY OF YOU ARE CONSIDERING:

- ✓ Being a Behavioral Scientist?
- ✓ Working in a medical setting?
- ✓ Supervising others?
- ✓ Working as part of a team?
- ✓ Ever seeing a medical provider????

As a patient, think of an encounter you had with medical provider that was:

- Good
- Not so good

What made it that way?



MEDICAL RESIDENCY

- Required of MD's & DO's post degree
- 3yrs (FM) to 7yrs (Neurosurgery)
- Supervised (Preceptors)
- Can go on to specialize afterwards (e.g. OB, sports med)

What and who are behavioral scientists???

HISTORY OF THE BEHAVIORAL SCIENTIST

Baird et al., 2017


Early years (1966-1986)

- Family Medicine – “The sine qua non of family practice is the knowledge and skill which allow the family physician to confront relatively large numbers of unselected patients with unselected conditions and to carry on therapeutic relationships with patients over time.”
- Family medicine trying to figure itself out
- BS roles mostly filled by psychiatrist
- Tension in goals of the BS
 - Diagnosis/treatment skills VS interpersonal/interviewing skills

HISTORY OF THE BEHAVIORAL SCIENTIST

Early years (1966-1986, con)

- 90% had a Behavioral Scientist
 - Shift in who was doing it
- In 1986, STFM proposed CCs:
 - Sociocultural issues
 - Normal development/developmental crises
 - Dr/pt relationship
 - Family systems/life cycles
 - Biopsychosocial assessments
 - Biopsychosocial management
 - Personal/professional relationships



HISTORY OF THE BEHAVIORAL SCIENTIST

Early years (1966-1986)

- Family Medicine – “The sine qua non of family practice is the knowledge and skill which allow the family physician to confront relatively large numbers of unselected patients with unselected conditions and to carry on therapeutic relationships with patients over time.”
- Family medicine trying to figure itself out
- BS roles mostly filled by psychiatrist
- Tension in goals of the BS
 - Diagnosis/treatment skills VS interpersonal/interviewing skills





Figure 2: Domains in Behavioral Science Teaching



MIDDLE YEARS (1987-2001)

- Common ground curriculums
- Beginning to see integrated behavioral health components
- Focus on cultural competencies
- Contextualism influence

HISTORY OF THE BEHAVIORAL SCIENTIST

Recent Years (2002-2016)

- A move towards integration
 - Significant increase in BS also doing IBH
 - Residents responding
 - 97% of residents said they would be more inclined to accept and/or apply for a job w/ IBH
- More workforce development
 - STFM BFEF
 - Imbedding BS truly within FM



ACGME

ACCREDITATION COUNCIL FOR GRADUATE MEDICAL EDUCATION

- Set requirements for graduate medical education
 - APA for MDs/DOs
 - Ex. Procedures, number of patients seen, etc.



ACGME

REQUIREMENTS FOR PSYCHOSOCIAL MEDICINE:

- Residents must be able to provide patient care that is patient- and family-centered, compassionate, equitable, appropriate, and effective for the treatment of health problems and the promotion of health.
 - Understand family dynamics & impact of ACEs
 - Address behavioral health and inequities in health and health care.
 - Diagnose, manage, and integrate care for common mental illness and behavioral issues in patients of all ages
 - Apply the biopsychosocial model of health & appropriately acknowledging racial categories as social constructs as opposed to biologically distinct determinants of health

(ACGME, 2023)

ACGME MILESTONES

A milestone is a significant point in development... competency-based developmental outcomes... that can be (progressively) demonstrated

Patient care

Medical Knowledge

Systems-Based Practice

Practice-Based Learning and Improvement

Professionalism

Interpersonal and Communication

Milestone's development also gave rise to Clinical Competency Committees (CCC's)
Different residency to residency

ACGME MILESTONES

Interpersonal and Communication Skills 1: Patient- and Family-Centered Communication				
Level 1	Level 2	Level 3	Level 4	Level 5
<p>Uses language and nonverbal behavior to demonstrate respect, establish rapport while communicating one's own role within the health care system</p> <p>Recognizes easily identified barriers to effective communication (e.g., language, disability)</p> <p>Identifies the need to individualize communication strategies</p>	<p>Establishes a therapeutic relationship in straightforward encounters using active listening and clear language</p> <p>Identifies complex barriers to effective communication (e.g., health literacy, cultural)</p> <p>Organizes and initiates communication, sets the agenda, clarifies expectations, and verifies understanding</p>	<p>Establishes a therapeutic relationship in challenging patient encounters</p> <p>When prompted, reflects on personal biases while attempting to minimize communication barriers</p> <p>Sensitively and compassionately delivers medical information, managing patient/family values, goals, preferences, uncertainty, and conflict</p>	<p>Maintains therapeutic relationships, with attention to patient/family concerns and context, regardless of complexity</p> <p>Independently recognizes personal biases while attempting to proactively minimize communication barriers</p> <p>Independently uses shared decision making to align patient/family values, goals, and preferences with treatment options to make a personalized care plan</p>	<p>Mentors others in situational awareness and critical self-reflection to consistently develop positive therapeutic relationships</p> <p>Leads or develops initiatives to identify and address bias</p> <p>Role models shared decision making in patient/family communication including those with a high degree of uncertainty/conflict</p>
<p>Comments:</p>				

ACGME MILESTONES

Medical Knowledge 1: Demonstrates Medical Knowledge of Sufficient Breadth and Depth to Practice Family Medicine				
Level 1	Level 2	Level 3	Level 4	Level 5
Describes the pathophysiology and treatments of patients with common conditions	Applies knowledge of pathophysiology with intellectual curiosity for treatment of patients with common conditions	Demonstrates knowledge of complex pathophysiology and the comprehensive management of patients across the lifespan	Integrates clinical experience and comprehensive knowledge in the management of patients across the lifespan	Expands the knowledge base of family medicine through dissemination of original research
Describes how behaviors impact patient health	Identifies behavioral strategies to improve health	Engages in learning behavioral strategies to address patient care needs	Demonstrates comprehensive knowledge of behavioral strategies and resources to address patient's needs	
Comments:				

ACGME MILESTONES

Patient Care 3: Health Promotion and Wellness				
Level 1	Level 2	Level 3	Level 4	Level 5
Identifies screening and prevention guidelines by various organizations	Reconciles competing prevention guidelines to develop a plan for an individual patient, and considers how these guidelines apply to the patient population	Identifies barriers and alternatives to preventive health tests, with the goal of shared decision making	Incorporates screening and prevention guidelines in patient care outside of designated wellness visits	Participates in guideline development or implementation across a system of care or community
Identifies opportunities to maintain and promote wellness in patients	Recommends management plans to maintain and promote health	Implements plans to maintain and promote health, including addressing barriers	Implements comprehensive plans to maintain and promote health, incorporating pertinent psychosocial factors and other determinants of health	Partners with the community to promote health
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Comments:				

STFM'S CORE PRINCIPLES OF BEHAVIORAL MEDICINE

- Use biopsychosocial approach
- Promote patient self-efficacy and behavior change
- Integrate behavioral health
 - Mental health and substance use
 - Physical symptoms
- Address sociocultural factors
- Understand impact of systems, contexts
- Apply developmental and life-cycle perspective
- Provider self-awareness, empathy, and well-being

(Schirmer, J. M., Taylor, D., & Zylstra, R., 2008).

2023

Behavioral Scientists

17

SUMMARIZING THE BEHAVIORAL SCIENTIST ROLE

Train medical providers to offer whole person, biopsychosocial, equitable, care that is respectful of, and responsive to, individual patient preferences, needs and values.

- Behavioral/mental health diagnoses and interventions
- Patient Centered-Care
- Antiracism and Health Equity
- Working on integrated teams
- Wellness/Resiliency

2023

Behavioral Scientists

18



HOW IT IS TYPICALLY DONE...

One Behavioral Scientist, variety of disciplines

Maybe sees patients, often in traditional model

Works with residents on a RANGE of things

One month rotation in a three-year residency

CENTRAL WASHINGTON FAMILY MEDICINE RESIDENCY

- 10-10-10 FM residency program
 - Locations in Ellensburg and Yakima, WA
- Teaching Health Center
- Residents receive a variety of experiences ranging from outpatient, OB, inpatient and... psychosocial medicine


HOW CWFM DOES IT

- All core BHCs have a roll, plus postdocs and interns
- Integrated into 3 Rotations x3yrs: AFM, Geriatrics, Am Peds
- Infuse patient-centered, biopsychosocial, antiracist, equitable care across all elements of training:
 - Role plays: contextual interview, anti-racism, equity
 - Residents shadowing BHCs: contextual interview
 - BS shadows residents: Patient Centered Communication
 - One-on-ones
 - Didactics for all residents throughout the year
 - Readings
- Behavioral Scientist at Clinical Competency Committee meetings

SUMMARIZING THE BEHAVIORAL SCIENTIST ROLE

Train medical providers to offer whole person, biopsychosocial, equitable, care that is respectful of, and responsive to, individual patient preferences, needs and values.

Behavioral/mental health diagnoses and interventions
Working on integrated teams
Wellness/Resiliency
Patient Centered-Care
Antiracism and Health Equity



PATIENT-CENTERED CARE

Institute of Medicine (2001):

“Care that is **respectful** of, and **responsive** to, individual patient **preferences, needs and values**, and ensuring that patient values guide all clinical decisions.”⁴



PATIENT-CENTERED CARE

Improved **adherence** to treatment plans

Higher **satisfaction** for patients and health-care providers

Better overall health

(Barbosa et al, 2015)

PATIENT-CENTERED COMMUNICATION (PCC)

Communication that promotes shared understanding and shared decision making

Poor communication:

- Misunderstanding of information
- Post-care complications
- Medical errors and readmissions

(Epstein & Street, 2007; Lee & Lin, 2010; Mahler et al, 2012; Mazor et al., 2012)

PATIENT-CENTERED COMMUNICATION (PCC)

Physicians

Good:

Discussing clinical decisions with patients

Not so good:

Determining the patients' preferences

Assessing if patient understands information

Discussing pros and cons or alternative methods of health care.

And most of us aren't good at recognizing personal and systemic biases

(Braddock et al, 1997; Saha, Beach, & Cooper, 2008; Stewart, 1995)

PATIENT-CENTERED COMMUNICATION (PCC)

Improved **understanding** of medical regimens

Increased patient **involvement**

Increased adherence to **self-care**

Improved health care **utilization**

(Brown, 1999; Beck, Daughtridge & Sloane, 2002; Golin, DiMatteo & Gelberg, 1996)

2023

Behavioral Scientists

27

PCC SKILL DOMAINS

Eliciting and understanding **patient perspectives**

Understanding the patient's unique **psychosocial and cultural contexts**

Reaching a **shared understanding** of patient concerns and **shared decision** regarding treatments that are concordant with patient values

(Epstein & Street, 2007)

2023

Behavioral Scientists

28

STFM GUIDELINES FOR CULTURAL SENSITIVITY, COMPETENCE & HUMILITY

Knowledge

Health Disparities
Social Determinants of Health

Skills

Patient-centered communication
Biopsychosocial assessment and intervention

Attitudes

Awareness, acceptance, and appreciation for the ways in which cultural factors impact health and willingness to incorporate these factors into treatment decisions.

Health Equity and Antiracism

2023

Behavioral Scientists

(Like, Steiner & Rubel, 2018)

KNOWLEDGE

Social Determinants of Health:

“The complex, integrated, and overlapping social structures and economic systems that are responsible for most health inequities...Social determinants of health are shaped by the distribution of money, power, and resources”

Physical environment
Social environment
Access to health services



2023

Behavioral Scientists

(CSDH, 2008)

KNOWLEDGE


Health Disparities

What

Differences in health outcomes that are linked to social, economic, and/or financial inequality.

Who

People who have systematically experienced greater obstacles to health often due to discrimination or exclusion.



(Jeffrey T. Berger & Dana Ribeiro Miller, 2021)

2023

COVID-19 IN WASHINGTON STATE Cases and Hospitalizations by Race/Ethnicity
Many confirmed COVID-19 case records are missing race and ethnicity information. Data may change as we work to increase completeness. [Learn More](#) DATA AS OF 10/27/2021 11:59PM PT

Age	CASES BY RACE/ETHNICITY			TOTAL WA POPULATION (%)
Sex	CASES	% OF CASES		
Race/Ethnicity	Total Number	722,839	100%	
	Unknown Race/Ethnicity (% of Total)	346,880	48%	NA
	Total with Race/Ethnicity Available	375,959	100%	100%
	White*	207,358	55%	67%
	Hispanic	98,948	26%	13%
	Asian*	20,845	6%	9%
	Black*	19,143	5%	4%
	Multiracial*	11,533	3%	4%
	American Indian or Alaska Native*	6,210	2%	1%
	Native Hawaiian or Other Pacific Islander*	6,138	2%	1%
	Other Race**	5,784	2%	NA

*Non-Hispanic

doh.wa.gov

Rate ratios compared to White, Non-Hispanic Persons	American Indian or Alaska Native, Non-Hispanic persons	Asian, Non-Hispanic persons	Black or African American, Non-Hispanic persons	Hispanic or Latino persons
Cases¹	2.8x higher	1.1x higher	2.6x higher	2.8x higher
Hospitalization²	5.3x higher	1.3x higher	4.7x higher	4.6x higher
Death³	1.4x higher	No Increase	2.1x higher	1.1x higher


2023

Behavioral Scientists

cdc.gov

32

Age-adjusted estimated prevalence of diagnosed diabetes by race/ethnicity group and sex for adults aged 18 years or older, United States, 2018–2019



CDC: 2018–2019 National Health Interview Survey; 2019 Indian Health Service National Data Warehouse (for American Indian/Alaska Native group only).

Patient Centered-Communication: Communication that promotes shared understanding and shared decision making

Cultural Competence

Ability to engage knowledgeably w/people of other cultures.

Cultural Humility

Life-long process of personal reflection and growth around culture in order to increase awareness.

Anti-racism

Actively opposing racism by advocating for changed in political, economic, and social life.

PCC SKILL DOMAINS

Eliciting and understanding **patient perspectives**

Understanding the patient's unique **psychosocial and cultural contexts**

Reaching a **shared understanding** of patient concerns and **shared decision** regarding treatments that are concordant with patient values

(Epstein & Street, 2007)

2023

Behavioral Scientists

35

GETTING YOUR FEET WET...

<https://www.youtube.com/watch?v=Oh3gv4xsbJ4&feature=youtu.be>

Jot down your reactions ...

What does this provider do well, what could she do better?

2023

Behavioral Scientists

36

PCC SKILLS ASSESSMENT

Resident is observed for multiple clinics by BHC(s) throughout their residency

Complete Patient-Centered Observation Form

Each BHC who observed the resident submits an evaluation re: if milestones were observed and provides summary of skills
 Seen by resident and their advisor
 Reviewed during Clinical Competency Committee meetings

2023

Behavioral Scientists

37

Patient Centered Observation Form - Clinician version

Trainee name: _____ Observer: _____ Observer #: _____ Date: _____
 Directions: Track behaviors in the left-side column. Mark one box per row. Competent skill use is in either of the two right side columns. Only rate what you see, avoid giving benefit of the doubt. Use notes to record questions, patient cues, and reflections for subsequent discussion and learning. This form is designed to help structure feedback, build vocabulary, and enhance self-awareness. There is an inverse relationship between patient complexity and demonstration of competence until sufficient training is acquired. No single observation should characterize competency, as the number of observations increases so does the accuracy of competency assessment.

Skill Set and Elements Check only what you see or hear. Avoid giving the benefit of the doubt.	Provider Centered Biomedical Focus	↔	Patient Centered Biopsychosocial Focus
Establishes Rapport <input type="checkbox"/> Introduces self (before gazing at computer) <input type="checkbox"/> Warm greeting (before gazing at computer) <input type="checkbox"/> Acknowledges all in the room by name <input type="checkbox"/> Uses eye contact <input type="checkbox"/> Humor or non-medical interaction	1a. Uses 0-2 elements		1b. Uses 3 elements 1c. Uses 2-4 elements
Note: FM ACGME Milestones 2.0 ICS 1.1 - 1.4			
Maintains Relationship Throughout the Visit <input type="checkbox"/> Uses verbal or non-verbal empathy during discussions or during the exam <input type="checkbox"/> Uses continual phrases ("um-hmm") <input type="checkbox"/> Repeats (reflects) important verbal content <input type="checkbox"/> Demonstrates patience, curiosity, intent focus, not seeming "rushed" and acknowledges distractions	2a. Uses 0-1 elements		2b. Uses 2 elements 2c. Uses 2-3 elements
Note: ICS 1.1-4, PROF 1.2-4			
Collaborative Agenda Setting <input type="checkbox"/> Acknowledges agenda items from other team member (e.g., MA) or from EMR. <input type="checkbox"/> Additional elicitation: "something else?" X _____ <input type="checkbox"/> Each elicitation counts as a new element. <input type="checkbox"/> Asks or confirms what is most important to patient.	3a. Uses 0-1 elements		3b. Uses 2 elements 3c. Uses 2-3 elements
Note: patient concerns here: ICS 1.2; PC 2.4			
Maintains Efficiency Using Transparent (out loud) Thinking and Respectful Interruption: <input type="checkbox"/> Talks about visit time use / visit organization <input type="checkbox"/> Negotiates priorities (includes provider agenda items) <input type="checkbox"/> Talks about problem solving strategies <input type="checkbox"/> Respectful interruption/medication using EEE: Excuse yourself, Empathize/validate issue being interrupted, Explain the reason for interruption (e.g., Topic Tracking)	4a. Uses 0 elements		4b. Uses 1 element 4c. Uses 2-3 elements
Note: ICS 1.2-4; Prof 2.1-3; PC 2.4			
Gathering Information <input type="checkbox"/> Uses open-ended question X _____ <input type="checkbox"/> Uses reflecting statement X _____ <input type="checkbox"/> Uses summary/clarifying statement X _____ Count each time the skill is used as one element.	5a. Uses 0-2 elements		5b. Uses 3 elements 5c. Uses 2-4 elements
Note: ICS 1.2; MK 2.1			
Exploring Patient or Family Perspective on Health <input type="checkbox"/> Acknowledges patient verbal or non-verbal cues. <input type="checkbox"/> Explores patient beliefs (explanatory model) or feelings <input type="checkbox"/> Explores contextual elements: family/cultural, spiritual. Number of patient verbal / non-verbal cues: _____	6a. Uses 0 elements		6b. Uses 1 element 6c. Uses 2-3 elements
Note: ICS 1.2-4; PC 1.2-4; PC 2.2, 2.4; PBL 1.			

2023

38

use this form to guide verbal feedback to someone you observe.

Skill Set and elements <i>Check only what you see or hear. Avoid giving the benefit of the doubt.</i>	Provider Centered Biomedical Focus	↔	Patient Centered Biopsychosocial Focus
Establishes Rapport <input type="checkbox"/> Introduces self (before gazing at computer) <input type="checkbox"/> Warm greeting (before gazing at computer) <input type="checkbox"/> Acknowledges all in the room by name <input type="checkbox"/> Uses eye contact <input type="checkbox"/> Humor or non medical interaction	<input type="checkbox"/> 1a. Uses 0-2 elements	<input type="checkbox"/> 1b. Uses 3 elements.	<input type="checkbox"/> 1c. Uses = 4 elements
Notes:			
Maintains Relationship Throughout the Visit <input type="checkbox"/> Uses verbal or non-verbal empathy during discussions or during the exam <input type="checkbox"/> Uses continuer phrases ("um hmm") <input type="checkbox"/> Repeats (reflects) important verbal content <input type="checkbox"/> Demonstrates presence, curiosity, intent focus, not seeming "rushed" and acknowledges distractions	<input type="checkbox"/> 2a. Uses 0-1 elements	<input type="checkbox"/> 2b. Uses 2 elements	<input type="checkbox"/> 2c. Uses 3 or more elements
Notes:			

PCC SKILLS: AGENDA SETTING

several interactions. If requested, use this form to guide verbal feedback to someone you observe.

Skill Set and elements <i>Check only what you see or hear. Avoid giving the benefit of the doubt.</i>	Provider Centered Biomedical Focus	↔	Patient Centered Biopsychosocial Focus
Collaborative upfront agenda setting <input type="checkbox"/> Acknowledges agenda items from other team member (eg MA) or from EMR. <input type="checkbox"/> Additional elicitation- "something else?" * X _____ <small>*each elicitation counts as a new element</small> <input type="checkbox"/> Asks or confirms what is most important to patient.	<input type="checkbox"/> 3a. Uses 0-1 elements	<input type="checkbox"/> 3b. Uses 2 elements	<input type="checkbox"/> 3c. Uses = 3 elements
Note patient concerns here:			

1. Acknowledge: "I see you're here to discuss diabetes..."
2. Elicit: "Is there something else?"
This is done until patient say's "No."
3. Prioritize: "We will have time to address two of those concerns, which is most important to you?"

Complete first before discussing details of concerns for:

Efficiency/time management

Patient-centered!

PCC SKILLS: AGENDA SETTING

...getting into the nitty gritty

“What brings you in today?”

Might be different from reason on appointment or what they've told the MA

Assess if patient awareness of their healthcare needs but...it might be the 3rd time patient has had to relay this info

“You're here for...”

Demonstrates PCP preparation

Demonstrates communication

More efficient

Agenda setting process will assess if patient has other concerns

PCC SKILLS: AGENDA SETTING

...getting into the nitty gritty

Patient-Centered

Identify patient's needs/goals for visit

30-80% of patients' expectations are not met during PC visits

PCP's often assume:

- First thing the patient mentions in most important
- Patients will spontaneously report all concerns

When done well, more concerns get addressed in same amount of time

Example scripts from Mauksch, 2001

(Epstein, Mauksch, Carroll, & Jaen, 2008; Irish, 1995; Kravitz, 1996; Mauksch, Dugdale, Dodson & Epstein, 2008).

PCC SKILLS: AGENDA SETTING

TRANSCRIPT

Dr: So, what brings you in today?

Pt: My back has been bothering me.

Dr: What kind of work do you do?

Pt: Um, well, I was an administrative assistant as of the beginning of January, but I got laid off, so –

Dr: So, recently laid off.

Pt: Yes.

Dr: OK. OK. And when was your last physical exam, like pelvic exam, breast exam and all that?

PCC SKILLS: AGENDA SETTING

TRANSCRIPT

Dr: So, what brings you in today?

Pt: My back has been bothering me.

Dr: How so?

Pt: When I bend over, it hurts, and I'm stiff in the morning.

Dr: Do you remember when it started?

Pt: Yes. I was moving boxes in my house.

Dr: What did it feel like when your hurt it?

Pt: It didn't really start hurting until the next day.

Dr: Back pain is pretty annoying, isn't it?

Pt: It sure is.

PCC SKILLS: AGENDA SETTING

TRANSCRIPT

Dr: So, what brings you in today?
 Pt: My back has been bothering me.
 Dr: Sorry to hear that. Before we go further, though, I'd like to find out if there is something else bothering you.
 Pt: Well, I was also wondering why I've been feeling so tired lately. I'm a bit down in the dumps.
 Dr: So, tiredness and feeling down. Is there something else?
 Pt: No, not really.
 Dr: So, which should we start with?
 Pt: Well, perhaps the back pain, but I did want to make sure we have time for both.
 Dr: OK, fair enough. You said your back has been bothering you. How so?
 Pt: When I bend over it hurts, and I'm stiff in the morning.
 Dr: Do you remember when it started?
 Pt: Yes. I was moving boxes in my house.
 Dr: What did it feel like when you hurt it?
 Pt: It didn't really start hurting until the next day.
 Dr: Back pain is pretty annoying, isn't it?
 Pt: It sure is.

PCC SKILLS: MAINTAIN FOCUS/EFFICIENCY

Maintains Efficiency using transparent (out loud) thinking and respectful interruption: <input type="checkbox"/> Talks about visit time use / visit organization <input type="checkbox"/> Negotiates priorities (Includes provider agenda items) <input type="checkbox"/> Talks about problem solving strategies <input type="checkbox"/> Respectful interruption/redirection using EEE: Excuse your self, Empathize/validate issue being interrupted, Explain the reason for interruption (eg, for Topic tracking) <small>Notes:</small>	<input type="checkbox"/> 4a. Uses 0 elements	<input type="checkbox"/> 4b. Uses 1 element	<input type="checkbox"/> 4c. Uses 2 or more elements

The polite interruption

Not all interruptions are intrusive, competitive, or power-claiming

The three E's

Excuse: "I'm sorry to interrupt..."

Empathize: "...your back pain sounds distressing."

Explain: "I want to make sure we finish addressing your asthma, and then if we have time we can address your back pain today or schedule another visit."

(Irish & Hall, 1995)

Patient who is repetitive, disorganized and/or tangential

Forgive me. You are sharing a lot and I can see you are really bothered about ... your headache, fatigue, allergy, stomach pain ... and this is frustrating and scary for you. I would like to switch gears and ask several specific questions, then do an exam to make sure we develop a plan that works best for you.

PCC SKILLS: GATHERING INFORMATION

Gathering Information <input type="checkbox"/> Uses open-ended question <input type="checkbox"/> Uses reflecting statement <input type="checkbox"/> Uses summary/clarifying statement Count each time the skill is used as one element	X X X	<input type="checkbox"/> Sa. Uses 0-1 elements	<input type="checkbox"/> Sb. Uses 2 elements	<input type="checkbox"/> Sc. Uses 3 or more elements
---	-------------	---	---	---

Notes:

Basic Counseling Skills

Non-directive, non-judgmental

Tell me about...How is the anxiety impacting your life?

Reflections/summaries: Demonstrates listening and understanding of what patient is saying, or opportunity to be corrected

PCC SKILLS: ASSESSING PT/FAMILY PERSPECTIVE

Exploring Patient or Family Perspective on Health <input type="checkbox"/> Acknowledges patient verbal or non-verbal cues. <input type="checkbox"/> Explores patient beliefs (explanatory model) or feelings <input type="checkbox"/> Explores contextual influences: family, cultural, spiritual. Number of patient verbal / non-verbal cues _____	<input type="checkbox"/> 6a. Uses 0 elements	<input type="checkbox"/> 6b. Uses 1 element	<input type="checkbox"/> 6c. Uses ≥ 2 elements
--	---	--	---

Notes: ICS 1.2-4; PC 1.2-4; PC 2.2, 2.4; PBLI 1.

Verbal and non-verbal cues

Individual and cultural beliefs

What are your/family/cultural beliefs about:

What is wrong?

What might be causing this issue?

What might make it better?

Experiences with the medical system

Contextual influences

Work – Love – Play – Health Behaviors



Electronic Medical Record Use	Biomedical Focus	Focus
<input type="checkbox"/> By 10 seconds, describes reason for each screen gaze <input type="checkbox"/> Shares/points at screen during at least 2 visit phases (agenda setting, history, Rx / Lab review, typing AVS) <input type="checkbox"/> Maintains eye contact / shares screen $\geq \frac{2}{3}$ of the visit <input type="checkbox"/> Asks patient to confirm or contribute to documentation	<input type="checkbox"/> 7a. Uses 0 or 1 elements.	<input type="checkbox"/> 7b. Uses 2 elements <input type="checkbox"/> 7c. Uses ≥ 3 elements
Notes: ICS 3.1-3.4 PROF 2.3-4; SBP 3.2		

Balancing charting/using EHR w/maintaining rapport

Including patient in the process

Efficiency



PCC SKILLS: PHYSICAL EXAM

Physical Exam	8a. 0-1 exam elements (eg., lungs)	8b. 2 exam elements (eg. heart, lung)	8c. > 2 exam elements (eg. heart, lung, ears)
<input type="checkbox"/> Prepares patient before physical exam actions and describes exam findings during the exam ("I am going to ___" then "your lungs sound healthy")	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Notes:			

Prepare


- Reduces anxiety/discomfort
- Trauma-informed

Describe

- Includes patient in their health/body
- Reduces anxiety that's caused by lack of information

PCC SKILLS: SHARING INFO

Sharing Information / Patient Education <input type="checkbox"/> Tailors to patient health literacy needs; avoids jargon <input type="checkbox"/> Summaries cover biomedical concerns <input type="checkbox"/> Summaries cover psychosocial concerns. <input type="checkbox"/> Invites Q/A	<input type="checkbox"/> 9a. Uses 0-1 elements	<input type="checkbox"/> 9b. Uses 2 elements	<input type="checkbox"/> 9c. Uses ≥ 3 elements
Notes: ICS 1.3; PC 2.3 PC 4.3 MK1.1-4			



PCC SKILLS: BEHAVIOR CHANGE

Behavior Change / Self-Management Clinician Asks: <input type="checkbox"/> If patient wants to set a behavior change goal <input type="checkbox"/> Patient to brainstorm activities to reach goal <input type="checkbox"/> Patient to pick specific activity <input type="checkbox"/> Patient to name activity frequency and time of day <input type="checkbox"/> How will patient track effort and progress? Clinician offers: <input type="checkbox"/> Guidance about personal, environmental or relational behavior change strategies <input type="checkbox"/> Affirmations of past or current efforts	<input type="checkbox"/> 10a. Uses 0-2 elements or lectures patient	<input type="checkbox"/> 10b. Uses 3 elements	<input type="checkbox"/> 10c. Uses ≥ 4 elements
Notes: ICS 1.4 PC 2.3-4; PC3.1-4; MK1.2-4;			

Medical culture has historically been prescriptive
 E.g. Smoking is bad, you should stop

Engaging Patient in goal-setting Behavior change


PCC SKILLS: SHARED DECISION-MAKING

<p>Co-Creating a Plan / Shared Decision-Making</p> <ul style="list-style-type: none"> <input type="checkbox"/> Describes options to address patient concerns <input type="checkbox"/> Discusses pros, cons and uncertainties of options <input type="checkbox"/> Asks for patient preferences <input type="checkbox"/> Identifies and resolves decisional differences, if any <input type="checkbox"/> Scales confidence/feasibility to follow plan (1-10) <input type="checkbox"/> Assesses patient barriers to follow plan <input type="checkbox"/> Adjusts plan to address barriers <input type="checkbox"/> Proposes follow-up plan <p><small>Notes: ICS 1.3-5; PC1.2-4; PC2.2-4; PC3.2-; SBP 3.3; PBL1 1.3-</small></p>	1
<p>Closure</p> <ul style="list-style-type: none"> <input type="checkbox"/> Asks for questions about today's topics. <input type="checkbox"/> Co-creates an After Visit Summary <input type="checkbox"/> Uses Teachback. = Asks the patient to explain his/her understanding of the plan <input type="checkbox"/> Combines Teachback and AVS creation while sharing the screen or notepad. (Counts for 3 elements) <p><small>Notes: ICS 1.1-2; ICS 3.1, 3.3-4; SBP 3.2</small></p>	1;

Describes options and facilitates patient decision regarding treatment

- Pros/Cons
- Discusses uncertainties and preferences
- Assesses confidence and barriers

- ▶ **Assesses patient's understanding of the treatment plan**
 - ▶ Asks for questions
 - ▶ Uses teach-back
 - ▶ Provides written plan




PRACTICING PCC ASSESSMENT

<https://www.youtube.com/watch?v=Ob3gv4xsbJ4&feature=youtu.be>

Take notes on form


GIVING EFFECTIVE FEEDBACK


- Considers learner's stage of professional developmental
- Specific
- Timely
- Engages the learner
- Checks bias



BIASES AND POWER DIFFERENTIAL

Biases can lead to being over or under criticizing.
Effects how feedback is delivered and received






GIVING FEEDBACK

A new kind of sandwich



BELINDA FU, MD MODEL

FEEDBACK



2017-20 © Belinda Fu, MD | Mayutica Institute



SUMMARIZING THE BEHAVIORAL SCIENTIST ROLE

Train medical providers to offer whole person, biopsychosocial, equitable, care that is respectful of, and responsive to, individual patient preferences, needs and values.

Behavioral/mental health diagnoses and interventions
Patient Centered-Care
Antiracism and Health Equity
Working on integrated teams
Wellness/Resiliency

OTHER TEACHABLE MOMENTS

After warm hand-off/Curbside consults


Recommendations in chart

Informal conversations

OTHER TEACHABLE MOMENTS

Scenario: You respond to a hand-off request for a 45yo Latinx male who complains of racing heart and tightness in his chest. PCP has ruled-out physiological causes of these symptoms and believes it's anxiety. You meet with patient. Going through time, trigger, trajectory of these symptoms you find out they started right after he was almost hit by a car. When directly asked, he denies feeling anxious. You explain the physiology of the stress response and teach him deep breathing to help with the racing heart and tightness in his chest.

PCP recommendations: Pt's sx's are likely the result of almost being hit by a car two week ago. He does not identify with having anxiety but was responsive to focusing on the physiology of stress and practicing deep breathing to alleviate his sx's. We want to cont' to focus on the physical ex's rather than labeling it




61

OTHER TEACHING MOMENTS

Scenario: You're standing in the team area. Resident comes out of an exam room clearly frustrated. She has just seen a patient that you have worked with. The resident says to you, "Why is she so mean to me? She's impossible to work with, as soon as I say I'm not going to increase her pain medication she stops listening to me."

Your response:

"I hear you, visits with her can be challenging. She's in a lot of pain and doesn't feel like people understand that. Sometimes all we can do is listen and let her know we hear her pain."



62

TEACHABLE MOMENTS

Modeling patient-centered care

Responding to biases, insensitivities, microaggressions, overt discrimination etc.....

Scenario: You're shadowing a resident to evaluate their PCC skills. You're listening in as the resident is describing a patient who he thinks might have sleep apnea. The preceptor is sharing that sometimes getting a patient to sleep on her/his side is enough to address the issue. The preceptor says, "Here's what you do, you tell the patient to have his wife sew a pocket on the back of his t-shirt and to put a tennis ball in that pocket so that every time he tries to roll onto his back at night the ball stops him."

2023

Behavioral Scientists

63

NO MATTER WHERE YOU GO...



2023

Behavioral Scientists

64



THANK YOU

REFERENCES

- ACGME (2023). ACGME program requirements for graduate medical education in family medicine. Chicago, IL: Accreditation Council for Graduate Medical Education.
- Baird, M. A., Hepworth, J., Myerholtz, L., Reitz, R., & Danner, C. (2017). Fifty Years of Contributions of Behavioral Science in Family Medicine. *Family Medicine*, 49(4), 296–303.
- Barbosa, A., Sousa, L., Nolan, M., Figueiredo, D (2015). Effects of person-centered care approaches to dementia care on staff: a systematic review. *American Journal of Alzheimers Disease and Other Dementia*, 30, 713-722.
- Bec, R.S., Daughtridge, R., Sloane, P.D (2002). Physician-patient communication in the primary care office: a systematic review. *Journal of American Board of Family Practice*, 15(1), 25-38.
- Berger, J.T. & Miller, D.R. (2021). Health Disparities, Systemic Racism, and Failures of Cultural Competence. *The American Journal of Bioethics*, 21(9), 4-10, DOI: 10.1080/15265161.2021.1915411
- Braddock, C.H. III, Fihn, S.D., Levinson, W., Jonsen, A.R., & Pearlman, R.A. (1997). How doctors and patients discuss routine clinical decisions. Informed decision making in the outpatient setting. *Journal of General Internal Medicine*, 12(6), 339-45.
- Brown, S.J. (1999). Patient-centered communication. *Annual Review of Nursing Research*, 17, 85-104.
- Castillo, E. G., Isom, J., DeBonis, K. L., Jordan, A., Braslow, J. T., & Rohrbaugh, R. (2020). Reconsidering Systems-Based Practice: Advancing Structural Competency, Health Equity, and Social Responsibility in Graduate Medical Education. *Academic medicine : journal of the Association of American Medical Colleges*, 95(12), 1817–1822. <https://doi.org/10.1097/ACM.0000000000003559>
- Commission on Social Determinants of Health (CSDH, 2008). Closing the gap in a generation: health equity through action on the social determinants of health. Final report of the Commission on Social Determinants of Health. World Health Organization: Geneva.
- Epstein, R.M., Mauksch, L., Carroll, J., & Jaen, C.R. (2008). Have you really addressed your patient’s concerns? *Family Practice Management*, 15(3), 35–40.
- Epstein, R.M. & Street, R.L., Jr. (2007). *Patient-Centered Communication in Cancer Care: Promoting Healing and Reducing Suffering*. Bethesda, MD: National Cancer Institute. National Institutes of Health Publication 07-6225
- Epstein, R.M. & Street, R.L. (2007). *Patient-centered communication in cancer care: promoting healing and reducing suffering*. Bethesda, MD: National Cancer Institute. NIH Publication 07-6225.

REFERENCES

- Golin, C.E., DiMatteo, M.R. & Gelberg, L. (1996). The role of patient participation in the doctor visit. Implications for adherence to diabetes care. *Diabetes Care*, 19(10), 1153-64.
- Institute of Medicine (IOM; 2001). *Crossing the Quality Chasm: A New Health System for the 21st Century*. Washington, D.C: National Academy Press.
- Irish, J.T. & Hall, J.A. (1995). Interruptive patterns in medical visits: the effects of role, status and gender. *Soc Sci Med.*, 41(6), 873-881.
- Kravitz, R.L. (1996). Patients' expectations for medical care: an expanded formulation based on review of the literature. *Med Care Res Rev*. 3-27.
- Lee, Y.Y, Lin, J.L (2010). Do patient autonomy preferences matter? Linking patient-centered care to patient-physician relationships and health outcomes. *Social Science in Medicine*, 71(10), 1811-8.
- Like, R.C., Steiner, Rubel, A.J. (2018). Recommended Core Curriculum Guidelines on Culturally Sensitive and Competent Health Care. STFM. Available from: http://www.stfm.org/Groups_old/GroupPagesandDiscussionForums/MinorityandMulticulturalHealth/CoreCurriculumGuidelines
- Mahler, C., Herman, K., Jank, S., Haefeli, W. & Szecsenyi, J. (2012). Can a feedback report and training session on medication counseling for general practitioners improve patient satisfaction with information on medicines? *Patient Preference and Adherence*, 6, 179-86.
- Mauksch, L.B., Hillenburg, L., & Robins, L. (2001). The establishing focus protocol: training for collaborative agenda setting and time management in the medical review. *Families, Systems and Health*, 19, 147-157.
- Mauksch, L., Dugdale, D., Dodson, S., & Epstein R. (2008). Relationship, Communication, and Efficiency in the Medical Encounter: Creating a Clinical Model From a Literature Review. *Arch Intern Med*, 168(13).
- Mauksch, L.B. (2017). Questioning a Taboo: Physicians' interruptions during interactions with patients. *JAMA.*, 317(10), 1021-1022.
- Mazor, K.M., Roblin, D., Greene, S., et al. (2012). Toward patient-centered cancer care: patient perceptions of problematic events, impact, and response. *Journal of Clinical Oncology*, 30(15), 1784-90.
- Moran, W.P., Davis, K., Moran, T., Newman, R., & Mauldin, P (2012). Where are my patients? It is time to automate notification of hospital use to primary care practices. *South Med J*, 105(1), 18-23.
- Street, R.L., Gordon, H.S., Ward, M.M., Krupat, E., & Kravitz, R (2005). Patient participation in medical consultations: why some patients are more involved than others. *Med Care*, 43(10), 960-9.
- Stewart, M.A. (1995). Effective physician-patient communication and health outcomes: a review. *CMAJ*, 152(9), 1423-33.